



**PRODUCT NUMBER: 2094150-X/MPP**  
**DEXGRIP LIGHT - EN388 2121**

Product emphasized in an effective packaging designed for a self-service environment. Size 9 to 10 available

**Honeywell**

**Overview**

**Reference Number**

2094150-X/MPP

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Building and Construction
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of slippery, damp or non greasy parts. Building. Transport. Logistics. Waste collection. Farming.

**Features & Benefits**

**Feature**

Knitted glove cotton/polyamide blue. Palm and fingertips coated in blue color crinkled latex. Knitted wrist. Gauge 13. Length : 26 cm

**Benefit**

Comfort The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. The tight knit (gauge 13) gives the glove perfect support, limits the penetration of dirt and ensures a good touch. The cotton thread absorbs perspiration and thus provides greater comfort. Resistance Its ultra fine crinkled latex coating offers maximum dexterity while providing mechanical resistance. The grip offers high performance even in a damp environment.

**Feature**

Product delivered in a clear and effective packaging designed for a self-service environment, which provides the needed

information to easily make the right protection choice. It includes pictograms to easily recognize the protection range as well as hazards identification and product advantages.

#### Benefit

Customers can easily recognize which personal protective equipment to choose, depending on their work environment and the risks they face. As a result, they become autonomous and can be sure they are making the right protection choice.

## Technical Description

#### Description

CE CATEGORY : II intermediary risks In accordance with standards EN 420-2003 Basic standard. EN 388-2003 Mechanical risks CHARACTERISTICS: Knitted glove cotton/polyamide blue. Palm and fingertips coated in blue color crinkled latex. Knitted wrist.

#### Product Technology

Knitted Coated

#### Gauge

13

#### Length

26 cm

#### Harmlessness

In conformity with the European standards.

#### Dexterity

Class 5

#### Sizes

9 to 10

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

## Certifications

 E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

N°0075/797/162/09/06/0216

#### EC Attestation

 EC Attestation

#### EC Attestation Number

N°0075/797/162/09/06/0216

## Additional Information

#### User Manual

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packagaing : 10 pairs.  
Cartons of 100 pairs.

**Care Instructions**

In order to keep its properties, this product must not be cleaned.

## Packaging

**EAN Code**

3603835522067

**Unit of Measure**

EA

**Quantity per Box/Pack/Case**

CAS of 6

**Quantity per Carton**

6

**Country of Origin**

France



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

**CTC**

4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupes.com](mailto:ctclyon@ctcgroupes.com) - [www.ctc.fr](http://www.ctc.fr)  
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

**CE TYPE EXAMINATION CERTIFICATE**  
**0075/797/162/09/06/0216**

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 20 941 50
- \* responsible for placing on the market :

**HONEYWELL SAFETY PRODUCTS EUROPE**  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on September 21th, 2006  
Update 03 of June 15th, 2012

Issued by Nadine PIPAZ

4, rue Hermann Frenkel  
69367 Lyon Cedex 07 - France

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04  
 Reference : 20 941 50  
 Basic Model  
 Dated : JUNE 2012

5 fingers knitted glove. Polyamid / Cotton yarns Latex coating on the palm and fingertips. The overlock color indicate the size : T07-Red, T08-Blue, T09-Yellow, T10-White

### Available sizes :

07 08 09 10

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Blue	Polyamid / cotton	13	
	Blue	Latex		1,5mm
BACK	Blue	Polyamid / cotton	13	
LINING				
CUFF	Blue	Polyamid / cotton	13	
	Natural	Rubber yarn	13	
BINDING	Red/Blue/Yellow/White	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		0806-6656/1 1112-17369/1 1203-3195/1	
Azo		1008-10045/2 1112-17369/1	
EN 388		0806-6656/1 1106-7634/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	2	1

The levels of performance have been measured on the palm



### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 20 941 50
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: DEXGRIP LIGHT - EN388 2121

Reference: 2094150-X/MPP

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

N°0075/797/162/09/06/0216

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 24/05/2017

**By:** Nadie Pipaz

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 750 000 € - Siret 348 892 307 00137  
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)