



PRODUCT NUMBER: 2094401
FINDEX® 944-01 CLEAN

General maintenance of factories and collective areas. standard work in the chemical industry. Collective catering.



Overview

Reference Number

2094401

Product Type

Gloves

Range

Chemical Protection

Line

Liquidproof

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Building and Construction
- Catering
- Chemical Industries
- Fishing
- Food Industries
- Industrial Cleaning
- Laboratory
- Medical and Pharmaceutical
- Printing Industries
- Ship Building
- Water treatment

Product Use

General maintenance of factories and collective areas. standard work in the chemical industry. Collective catering.

Features & Benefits

Feature

- Unlined yellow latex glove
- Cotton flock inside
- Diamond-pattern finish

Benefit

COMFORT

Natural latex provides excellent flexibility, synonymous with dexterity and comfort. The cotton flocked interior provides the user with greater comfort. Diamond finish is tailored for grasping dry and damp objects.

RESISTANCE

Latex offers good mechanical and chemical resistance against detergents and liquid products.

SAFETY

The cuff helps to protect a large part of the forearm.

HYGIENE

The production process helps to obtain a glove with a minimum latex protein.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards:

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

EN 374-2003 Chemical hazards

CHARACTERISTICS :

Unlined yellow latex glove

Cotton flock inside

Diamond-pattern finish

Product Technology

Dipped Gloves

Glove/liner color

Yellow

Coating Type

Latex and cotton

Length

30 cm

Thickness

0,4/0,8 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

6 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance	0
Tear resistance	1
Puncture resistance	0

Packaging Label

Tagging

CE HONEYWELL

2094401 XX

EN 388 : 1011

EN 420

EN 374-2

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

0075/797/162/11/08/0462

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/11/08/0462

Additional Information

User Manual

UI 103

User Information Sheet

103

Maintenance

Storage Information

Minimum packaging 10 pairs.

Cartons of 100 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-854 du 22.08.1978 - Siret 77584972800180 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/11/08/0462

To the following model of personal protective equipment :

- * protective glove against mechanical risks, low chemical risks, chemical risks.
- * reference of the model : 20 944 01
- * responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on November 21th, 2008
Update 01 of December 03th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : 20 944 01

Basic Model

Dated : NOVEMBER 2012

5 fingers latex glove. Flocked inside.

Available sizes :

06 07 08 09 10

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Yellow	Latex		0,4mm
BACK	Yellow	Latex		0,4mm
LINING	Natural	Cotton		
CUFF	Yellow	Latex		0,4mm
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- * EN 374-3 : 2003 - Protection gloves against chemicals and micro-organisms
- one product tested.
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-6044/2 1210-16004/1	
EN 388		1210-16004/1	
EN 374-2		1210-16004/1	
EN 374-3		1210-15619	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	0	1	0

The levels of performance have been measured on the palm

Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:


Name of chemicals	ACIDE SULFURIQUE 4M					
Letter code of the product	L					
Permeation performance levels	6					

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative: _____
- * **CE** marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- * reference of the model: 20 944 01
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals and micro-organisms risks
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: FINEDEX® 944-01 CLEAN

Reference: 2094401

Standard(s): EN 374-2, EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/11/08/0462

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 24/05/2017

By: Fabrice beaugeard

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95988 ROISSY CDG CEDEX
SAS au capital de 200 000 000 - N° SIRET 3331 4990 7980
Tel: +33 1 49 90 79 79 - Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com